

FACSIMILE COVER SHEET**MARCH 2, 1999****ATTN: Greg DeAngelis****OFFICE: EPA, Edison****PHONE:****FAX: 732-321-4425****FROM: Eric J. Simpson****PHONE: (212) 637-4024****FAX: (212) 637-4942****MESSAGE:**

Greg,

The smears were clean. Please disregard the "reject" flag. The results were all "ND," or non-detect.

-EJS**NUMBER OF PAGES: 2**

454559



Sample ID	QC	Analyte	Result	Z ² u	Flag	MDC	Unit	S Date
.00723H	ANA	Ba140	ND		Reject	8.320e+00	PCI/SAMP	01/27/1999
.00723H	ANA	Co60	ND		Reject	1.150e+00	PCI/SAMP	01/27/1999
.00723H	ANA	Cs137	ND		Reject	9.210e-01	PCI/SAMP	01/27/1999
.00723H	ANA	1131	ND		Reject	4.050e+00	PCI/SAMP	01/27/1999
.00723H	ANA	K40	ND		Reject	1.430e+01	PCI/SAMP	01/27/1999
.00723H	ANA	Ra226	ND		Reject	1.230e+01	PCI/SAMP	01/27/1999
.00723H	ANA	Ra228	ND		Reject	3.880e+00	PCI/SAMP	01/27/1999

DRAFT

RESPONSE & PREVENTION BRANCH FAX COVER SHEET

TO: HECTOR BERMUDEZ

BRANCH/SECTION: _____

TELEPHONE/FAX#: 404-562-4734

FROM: GREG DEANGELIS

BRANCH/SECTION: RPB-B

TELEPHONE/FAX#: (O) 732-906-6874
(F) 732-321-4425

DATE: 3-3-99

TIME: 1615

NO. OF PAGES: 3

